Amendments to the claims are as follows:

- 1. (Currently Amended) A charging apparatus comprising a housing having an opening at one side; an openable supported door for shutting the opening of the housing; and chargers for charging anat least one object to be charged in the housing, wherein the chargers noncontactly supply electric power by electromagnetic induction from built-in coils of power feeders to said at least one object having a built-in coil of a power receiver and a built-in battery.
- 2. (Currently Amended) The charging apparatus according to claim 1, further comprising a firstan antenna for receiving high-frequency data signals; and a circuit for controlling chargers around the object according to the data signals received by the first antenna so as to drive a charger sending electromagnetic waves to the objects from an optimal direction, wherein the high-frequency data signals are sent from an IC chip having a high-frequency oscillator circuit through an second antenna connecting to the IC chip, the IC chip and the second antenna being attached to the objects.
- 3. (Currently Amended) The charging apparatus according to claim 1, further comprising <u>aat least one</u> shelf in the housing for receiving the object, wherein the chargers for charging <u>the</u> objects placed on the shelf <u>and/or</u> on <u>anthe</u> inner face of <u>athe</u> bottom of the housing are provided to the shelf <u>and/or</u> the housing.
- 4. (Currently Amended) The charging apparatus according to claim 2, further comprising <u>aat least one</u> shelf in the housing for receiving the object, wherein the chargers for charging <u>the</u> objects placed on the shelf and/or on <u>anthe</u> inner face of <u>athe</u> bottom of the housing are provided to the shelf and/or the housing.

- 5. (Currently Amended) The charging apparatus according to claim 3, further comprising <u>aat least one</u> standing partition on said <u>at least one</u> shelf and/or on the inner face of the bottom of the housing for partitioning the shelf and/or the inner face of the bottom of the housing into a plurality of spaces, wherein the object is placed <u>in aat the</u> space partitioned by the partition.
- 6. (Currently Amended) The charging apparatus according to claim 4, further comprising <u>aat least one</u> standing partition on said <u>at least one</u> shelf <u>and/or</u> on the inner face of the bottom of the housing for partitioning the shelf <u>and/or</u> the inner face of the bottom of the housing into a plurality of spaces, wherein the object is placed <u>in aat the</u> space partitioned by the partition.
- 7. (Currently Amended) The charging apparatus according to claim 5, wherein at least one of the chargers is provided over said at least one partition.
- 8. (Currently Amended) The charging apparatus according to claim 6, wherein at least one of the chargers is provided on said at least one partition.
- 9. (Original) The charging apparatus according to claim 1, wherein the housing includes a shielding body for shielding the outside from electromagnetic waves generated by the electromagnetic induction.
- 10. (Original) The charging apparatus according to claim 2, wherein the housing includes a shielding body for shielding the outside from electromagnetic waves generated by the electromagnetic induction.
- 11. (Currently Amended) The charging apparatus according to claim3, wherein said at least one shelf has a shielding body for blocking

electromagnetic waves generated by the electromagnetic induction below the shelf.

- 12. (Currently Amended) The charging apparatus according to claim 4, wherein said at least one shelf has a shielding body for blocking electromagnetic waves generated by the electromagnetic induction below the shelf.
- 13. (Currently Amended) The charging apparatus according to claim 5, wherein said at least one partition has a shielding body for blocking electromagnetic waves generated by the electromagnetic induction.
- 14. (Currently Amended) The charging apparatus according to claim 6, wherein said at least one partition has a shielding body for blocking electromagnetic waves generated by the electromagnetic induction.
- 15. (Original) The charging apparatus according to claim 1, wherein the object includes a secondary battery detached from an electronic device and an adapter having the built-in coil of the power receiver and attached to the secondary battery.
- 16. (Original) The charging apparatus according to claim 2, wherein the object includes a secondary battery detached from an electronic device and an adapter having the built-in coil of the power receiver and attached to the secondary battery.
- 17. (Original) The charging apparatus according to claim 1, wherein the object is a secondary battery detachable from an electronic device and having the coil of the power receiver.

- 18. (Original) The charging apparatus according to claim 2, wherein the object is a secondary battery detachable from an electronic device and having the coil of the power receiver.
- 19. (Original) The charging apparatus according to claim 1, wherein the object is a portable electronic device.
- 20. (Original) The charging apparatus according to claim 2, wherein the object is a portable electronic device.